


Pattern Matching

Reminder: Decomposition

The task we are trying to solve is find a general and convenient way to access objects in an extensible class hierarchy.



eval
slow
simplify

Attempts seen previously:

- ▶ *Classification and access methods*: quadratic explosion
- ▶ *Type tests and casts*: unsafe, low-level
- ▶ *Object-oriented decomposition*: does not always work, need to touch all classes to add a new method.

40

Solution 2: Functional Decomposition with Pattern Matching

Observation: the sole purpose of test and accessor functions is to *reverse* the construction process:

- ▶ Which subclass was used?
- ▶ What were the arguments of the constructor?

This situation is so common that many functional languages, Scala included, automate it.

new Sum(e₁, e₂)

Case Classes

A *case class* definition is similar to a normal class definition, except that it is preceded by the modifier `case`. For example:

```
trait Expr
case class Number(n: Int) extends Expr
case class Sum(e1: Expr, e2: Expr) extends Expr
```

Like before, this defines a trait `Expr`, and two concrete subclasses `Number` and `Sum`.

Case Classes (2)

It also implicitly defines companion objects with apply methods.

```
object Number {  
  def apply(n: Int) = new Number(n)  
}  
object Sum {  
  def apply(e1: Expr, e2: Expr) = new Sum(e1, e2)  
}
```

Number (2)
↓
Number.apply()

so you can write `Number(1)` instead of `new Number(1)`.

However, these classes are now empty. So how can we access the members?

Pattern Matching

Pattern matching is a generalization of switch from C/Java to class hierarchies.

It's expressed in Scala using the keyword `match`.

Example

```
def eval(e: Expr): Int = e match {  
  case Number(n) => n  
  case Sum(e1, e2) => eval(e1) + eval(e2)  
}
```

Match Syntax

Rules:

- ▶ match is followed by a sequence of *cases*, pat => expr.
- ▶ Each case associates an *expression* expr with a *pattern* pat.
- ▶ A MatchError exception is thrown if no pattern matches the value of the selector.

```
e match {  
  case pat1 => expr1  
  :  
  case patn => exprn  
}
```

Forms of Patterns

Patterns are constructed from:

- ▶ *constructors*, e.g. Number, Sum,
- ▶ *variables*, e.g. n, e1, e2,
- ▶ *wildcard patterns* _,
- ▶ *constants*, e.g. 1, true.

val N = 2

Number (n)

Number (-)

1, true, "abc", N

Sum (Number (1), Var (x)) =>

Variables always begin with a lowercase letter.

Variable x

The same variable name can only appear once in a pattern. So, Sum(x, x) is not a legal pattern.

Constant N

Sum (x, y)

Names of constants begin with a capital letter, with the exception of the reserved words null, true, false.

Evaluating Match Expressions

An expression of the form

$$e \text{ match } \{ \text{case } p_1 \Rightarrow e_1 \dots \text{case } p_n \Rightarrow e_n \}$$

matches the value of the selector e with the patterns p_1, \dots, p_n in the order in which they are written.

The whole match expression is rewritten to the right-hand side of the first case where the pattern matches the selector e .

References to pattern variables are replaced by the corresponding parts in the selector.

What Do Patterns Match?

- ▶ A constructor pattern $C(p_1, \dots, p_n)$ matches all the values of type C (or a subtype) that have been constructed with arguments matching the patterns p_1, \dots, p_n .
- ▶ A variable pattern x matches any value, and *binds* the name of the variable to this value.
- ▶ A constant pattern c matches values that are equal to c (in the sense of $==$)

Example

Example

```
eval(Sum(Number(1), Number(2)))
```

→

```
Sum(Number(1), Number(2)) match {  
  case Number(n) => n  
  case Sum(e1, e2) => eval(e1) + eval(e2)  
}
```

→

```
eval(Number(1)) + eval(Number(2))
```

Example (2)

→

```
Number(1) match {  
  case Number(n) => n  
  case Sum(e1, e2) => eval(e1) + eval(e2)  
} + eval(Number(2))
```

→

```
1 + eval(Number(2))
```

⇒

3

Pattern Matching and Methods

Of course, it's also possible to define the evaluation function as a method of the base trait.

Example

```
trait Expr {  
  def eval: Int = this match {  
    case Number(n) => n  
    case Sum(e1, e2) => e1.eval + e2.eval  
  }  
}
```

Expression Problem "

Expr
def eval

Sum
def eval = ...

Number
def eval = ..

Exercise

Write a function `show` that uses pattern matching to return the representation of a given expressions as a string.

```
def show(e: Expr): String = ???
```

Exercise (Optional, Harder)

Add case classes `Var` for variables `x` and `Prod` for products `x * y` as discussed previously.

Change your `show` function so that it also deals with products.

Pay attention you get operator precedence right but to use as few parentheses as possible.



Example

```
Sum(Prod(2, Var("x")), Var("y"))
```

should print as `"2 * x + y"`. But

```
Prod(Sum(2, Var("x")), Var("y"))
```

should print as `"(2 + x) * y"`.



`2 + (x * y)`

`(2 + x) * y`